

Federal Employee Program® Federal Employee Program® 750 9th St NW Washington, D.C. 20001 202.942.1000 Fax 202.942.1125

5.85.014

Section: Prescription Drugs Effective Date: July 1, 2024

Subsection: Hematological Agents Original Policy Date: August 3, 2012

Subject: Elelyso Page: 1 of 5

Last Review Date: June 13, 2024

Elelyso

Description

Elelyso (taliglucerase alfa)

Background

Gaucher disease is an inherited lysosomal storage disorder in humans that results in the inability to produce glucocerebrosidase, an enzyme necessary for fat metabolism. The enzyme deficiency causes lipids to collect in the spleen, liver, kidneys, and other organs. Accumulation of lipids in these areas results in the enlargement of the liver and spleen, anemia, thrombocytopenia, lung disease and bone abnormalities. Symptoms of Gaucher disease usually become apparent in early childhood or adolescence but can be diagnosed at any stage of life. It is important to begin intervention early to prevent damage to the liver and spleen (1).

Elelyso is an injectable enzyme replacement product for the treatment of adults with type 1 Gaucher disease. There are three clinical subtypes of Gaucher disease differentiated by the presence or absence of neurological involvement: type 1, type 2 and type 3. Type 1, known as non-neuronopathic, is the most common. There is insufficient evidence supporting the use of Elelyso for the treatment of type 2 and type 3 Gaucher disease (1).

Regulatory Status

FDA-approved indication: Elelyso is a hydrolytic lysosomal glucocerebroside-specific enzyme indicated for the treatment of patients 4 years and older with a confirmed diagnosis of type 1 Gaucher disease (1).

Section: Prescription Drugs Effective Date: July 1, 2024

Subsection: Hematological Agents Original Policy Date: August 3, 2012

Subject: Elelyso Page: 2 of 5

Elelyso has a boxed warning regarding hypersensitivity reactions including anaphylaxis. Elelyso should be administered in a healthcare setting with appropriate medical monitoring and support measures, including access to cardiopulmonary resuscitation equipment (1).

The safety of Elelyso has not been established in pediatric patients younger than 4 years of age (1).

Related policies

Cerdelga, Cerezyme, VPRIV, Zavesca

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Elelyso may be considered **medically necessary** if the conditions indicated below are met.

Elelyso may be considered **investigational** for all other indications.

Prior-Approval Requirements

Age 4 years of age and older

Diagnosis

Patient must have the following:

Gaucher disease, Type 1

AND the following:

 NO dual therapy with another medication for Type 1 Gaucher disease (see Appendix 1)

Prior-Approval Renewal Requirements

Same as above

Policy Guidelines

Pre - PA Allowance

None

Section: Prescription Drugs Effective Date: July 1, 2024

Subsection: Hematological Agents Original Policy Date: August 3, 2012

Subject: Elelyso Page: 3 of 5

Prior - Approval Limits

Duration 2 years

Prior-Approval Renewal Limits

Same as above

Rationale

Summary

Gaucher disease is an inherited lysosomal storage disorder in humans that results in the inability to produce glucocerebrosidase, an enzyme necessary for fat metabolism. The enzyme deficiency causes lipids to collect in the spleen, liver, kidneys, and other organs. Elelyso is a form of the human lysosomal enzyme, glucocerebrosidase, and is effective in replacing the enzyme deficiency in type 1 (non-neuronopathic) Gaucher disease. The safety of Elelyso has not been established in pediatric patients younger than 4 years of age (1).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of Elelyso while maintaining optimal therapeutic outcomes.

References

1. Elelyso [Package Insert]. New York, NY: Pfizer Labs; April 2024.

Policy History	
Date	Action
July 2012	New Policy
March 2013	Annual editorial and reference update.
March 2014	Annual review
September 2014	Change of age limit to include pediatric patients
December 2014	Annual editorial and reference update
December 2015	Annual editorial review and reference update
	Addition of no dual therapy with another hydrolytic lysosomal
	glucocerebroside agent
December 2016	Annual editorial review and reference update
	Policy code changed from 5.10.14 to 5.85.14
September 2017	Annual editorial review and reference update
September 2018	Annual editorial review and reference update

5.85.014

Section: Prescription Drugs Effective Date: July 1, 2024

Subsection: Hematological Agents Original Policy Date: August 3, 2012

Subject: Elelyso Page: 4 of 5

September 2019 Annual editorial review. Changed approval duration from lifetime to 2 years

September 2020 Annual review and reference update March 2021 Annual review and reference update

March 2022 Annual review

March 2023 Annual review and reference update. Changed policy number to 5.85.014

June 2023 Annual review

March 2024 Annual review and reference update

June 2024 Annual editorial review and reference update

Keywords

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on June 13, 2024 and is effective on July 1, 2024.

5.85.014

Section: Prescription Drugs Effective Date: July 1, 2024

Subsection: Hematological Agents Original Policy Date: August 3, 2012

Subject: Elelyso **Page:** 5 of 5

Appendix 1 - List of Medications for Type 1 Gaucher Disease

Generic Name	Brand Name
eliglustat	Cerdelga
imiglucerase	Cerezyme
miglustat	Zavesca
taliglucerase alfa	Elelyso
velaglucerase alfa	VPRIV