

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Topical Products	Original Policy Date:	June 26, 2015
Subject:	Ertaczo	Page:	1 of 4

Last Review Date: September 6, 2024

Ertaczo

Description

Ertaczo (sertaconazole)

Background

Ertaczo cream is used on the skin (topical) to treat athlete's foot that is between the toes (interdigital tinea pedis) caused by the organisms *Trichophyton rubrum, Trichophyton mentagrophytes* and *Epidermophyton floccosum,* in people 12 years of age and older with normal immune systems (1).

Regulatory Status

FDA-approved indications: Ertaczo is an azole antifungal indicated for the treatment of interdigital tinea pedis in immunocompetent patients 12 years of age and older, caused by *Trichophyton rubrum, Trichophyton mentagrophytes,* and *Epidermophyton floccosum* (1).

Safety and effectiveness of Ertaczo in pediatric patients under 12 years of age has not been established (1).

Related policies

Ecoza, Exelderm, Jublia, Kerydin, Luzu, Oxistat

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Ertaczo may be considered medically necessary if the conditions indicated below are met.

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Topical Products	Original Policy Date:	June 26, 2015
Subject:	Ertaczo	Page:	2 of 4

Ertaczo may be considered investigational for all other indications.

Prior-Approval Requirements

Age 12 years of age or older

Diagnosis

Patient must have the following:

Interdigital Tinea Pedis

AND ALL of the following:

- 1. Suspected infection of **ONE** of the following fungal species:
 - a. Trichophyton rubrum
 - b. Trichophyton mentagrophytes
 - c. Epidermophyton floccosum
- 2. Inadequate treatment response, intolerance, or contraindication to a topical or oral antifungal legend medication (e.g., fluconazole, terbinafine, ketoconazole, etc.)
- 3. NOT immunocompromised

Prior – Approval Renewal Requirements

Age 12 years of age or older

Diagnosis

Patient must have the following:

Interdigital Tinea Pedis

AND ALL of the following:

- 1. Suspected infection of ONE of the following fungal species
 - a. Trichophyton rubrum
 - b. Trichophyton mentagrophytes
 - c. Epidermophyton floccosum

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Topical Products	Original Policy Date:	June 26, 2015
Subject:	Ertaczo	Page:	3 of 4

2. NOT immunocompromised

D	•	O 1 1 1	
POL	ICV	Guidelines	
	·~,	0 0100 011100	

Pre - PA Allowance

None

Prior - Approval Limits

Quantity 60 units

Duration 1 month

Prior – Approval Renewal Limits

Same as above

Rationale

Summary

Ertaczo is an antifungal cream used topically to treat interdigital tinea pedis caused by the following organisms *Trichophyton rubrum, Trichophyton mentagrophytes and Epidermophyton floccosum.* Safety and effectiveness of Ertaczo in pediatric patients under 12 years of age has not been established (1).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of Ertaczo while maintaining optimal therapeutic outcomes.

References

1. Ertaczo [package Insert]. Bridgewater, NJ: Bausch Health US, LLC; December 2020.

Policy History	
Date	Action
June 2015	Addition to PA
September 2015	Annual review
December 2016	Annual editorial review and reference update. Policy number change from
	5.14.15 to 5.90.15
September 2017	Annual review
September 2018	Annual review

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Topical Products	Original Policy Date:	June 26, 2015
Subject:	Ertaczo	Page:	4 of 4

September 2019	Annual review and reference update
December 2019	Annual review. Addition of quantity limit of 60 units
September 2020	Annual review
March 2021	Annual review
March 2022	Annual review and reference update
March 2023	Annual review. Changed policy number to 5.90.015
September 2023	Annual review. Per SME, revised requirement for laboratory
	documentation of a fungal infection to "suspected infection", added
	examples of legend drugs, removed requirement for continuation: "NOT
	used in a previously treated location within the last 12 months"
March 2024	Annual review
September 2024	Annual review
Keywords	

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on September 6, 2024 and is effective on October 1, 2024.