



Federal Employee Program.

Blue Cross Blue Shield Association
750 9th St NW, Suite 900
Washington, D.C. 20001
1-800-624-5060
Fax 1-877-378-4727

5.30.086

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Endocrine and Metabolic Agents	Original Policy Date:	July 28, 2023
Subject:	Antidiabetic GLP-1, GIP-GLP-1 Agonists	Page:	1 of 7

Last Review Date: September 6, 2024

Antidiabetic GLP-1, GIP-GLP-1 Agonists

Description

Adlyxin injection* (lixisenatide)
Byetta injection*, Bydureon injection*, Bydureon BCise injection* (exenatide)
Mounjaro (tirzepatide)
Ozempic injection, Rybelsus tablets (semaglutide)
Trulicity injection (dulaglutide)
Victoza injection (liraglutide), liraglutide injection*

*Prior authorization for specific formulations applies only to formulary exceptions due to being a non-covered medication.

Background

Adlyxin, Byetta, Bydureon, Bydureon BCise, liraglutide, Ozempic, Rybelsus, Trulicity, and Victoza are glucagon-like peptide-1 receptor (GLP-1) agonists. Mounjaro is a glucose-dependent insulinotropic polypeptide (GIP) and GLP-1 receptor agonist. These medications are designed to mimic the action of incretin hormones by stimulating insulin release after glucose is ingested, making them an additional avenue for treatment of type 2 diabetes mellitus. Additionally, GLP-1, GIP-GLP-1 receptor agonists can decrease blood glucose through increasing feelings of satiety by delaying gastric emptying, stimulating the proliferation of pancreatic beta-cells, and inhibiting the production of glucagon (1).

Regulatory Status

FDA-approved indications: Bydureon, Bydureon BCise, liraglutide, Trulicity, and Victoza are indicated as an adjunct to diet and exercise to improve glycemic control in patients 10 years and

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Endocrine and Metabolic Agents	Original Policy Date:	July 28, 2023
Subject:	Antidiabetic GLP-1, GIP-GLP-1 Agonists	Page:	2 of 7

older with type 2 diabetes mellitus and to reduce the risk of major adverse cardiovascular events in adults with type 2 diabetes mellitus and established cardiovascular disease, or multiple cardiovascular risk factors (4-5, 9-11).

Adlyxin, Byetta, Mounjaro, Ozempic, and Rybelsus are indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus (2-3, 6-8).

Limitations of Use:

- Adlyxin, Byetta, Bydureon, Bydureon BCise, liraglutide, Mounjaro, Ozempic, Rybelsus, Trulicity, and Victoza are not indicated to treat type 1 diabetes mellitus (2-11).
- Adlyxin, Byetta, Bydureon, Bydureon BCise, Mounjaro, Ozempic, Rybelsus, and Trulicity have not been studied in patients with a history of pancreatitis (2-9).
- Trulicity is not recommended in patients with severe gastrointestinal disease, including severe gastroparesis (9).
- Adlyxin has not been studied in patients with gastroparesis and is not recommended in patients with gastroparesis (2).

Bydureon, Bydureon BCise, liraglutide, Mounjaro, Ozempic, Trulicity, Victoza and Rybelsus have a boxed warning indicating that they have been shown to cause thyroid C-cell tumors in rats. It is unknown whether the GLP-1, GIP-GLP-1 agonists cause thyroid C-cell tumors, including medullary thyroid carcinoma (MTC) in humans. The use of GLP-1, GIP-GLP-1 agonists is contraindicated in patients with a personal or family history of MTC, or in patients with Multiple Endocrine Neoplasia syndrome type 2 (MEN 2). Patients should be counseled on the potential risk of MTC and the symptoms of thyroid tumors (1-11).

The use of GLP-1, GIP-GLP-1 agonists has been associated with pancreatitis, acute kidney injury, acute gallbladder disease, and hypoglycemia. Patients should be monitored for these outcomes and the medication discontinued as medically indicated. Concomitant administration of a GLP-1 agonist with insulin or an insulin secretagogue may increase the risk of hypoglycemia and the dose of either insulin or insulin secretagogue may need to be reduced (2-11).

The safety and effectiveness of Bydureon, Bydureon BCise, liraglutide, Trulicity, and Victoza in pediatric patients less than 10 years of age have not been established (4-5, 9-11).

The safety and effectiveness of Adlyxin, Byetta, Mounjaro, Ozempic, and Rybelsus in pediatric patients less than 18 years of age have not been established (2-3, 6-8).

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Endocrine and Metabolic Agents	Original Policy Date:	July 28, 2023
Subject:	Antidiabetic GLP-1, GIP-GLP-1 Agonists	Page:	3 of 7

Related policies

Insulin GLP-1 Combinations, Metformin, SGLT2 Inhibitors, SGLT2 Step, Trijardy XR

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Adlyxin, Byetta, Bydureon, Bydureon BCise, liraglutide, Mounjaro, Ozempic, Rybelsus, Trulicity, and Victoza may be considered **medically necessary** if the conditions indicated below are met.

Adlyxin, Byetta, Bydureon, Bydureon BCise, liraglutide, Mounjaro, Ozempic, Rybelsus, Trulicity, and Victoza may be considered **investigational** for all other indications.

Prior-Approval Requirements

*Claims will bypass the requirement for Prior Authorization (PA) if the following are met: 1) Claim is submitted with an ICD 10 diagnosis code indicating type 2 diabetes mellitus **OR** if the patient has completed a prescription for at least a 30-day supply of an antidiabetic drug (EXCLUDING the GLP-1/GIP classes of medications) in the last 180 days, 2) Claim does not exceed PA quantity limits, and 3) there is **NO** paid claim for a concurrent supply of another GLP-1/GIP class medication.*

Diagnosis

Patient must have the following:

Type 2 diabetes mellitus

AND the following:

1. **NO** dual therapy with other glucagon-like peptide-1 (GLP-1) receptor agonists (see Appendix 1)

Prior – Approval *Renewal* Requirements

Same as above

Policy Guidelines

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Endocrine and Metabolic Agents	Original Policy Date:	July 28, 2023
Subject:	Antidiabetic GLP-1, GIP-GLP-1 Agonists	Page:	4 of 7

Pre - PA Allowance

None

Prior - Approval Limits

Quantity

Medication	Quantity Limit
Mounjaro	12 units per 84 days OR
Ozempic	3 units per 84 days OR
Rybelsus	90 tablets per 90 days OR
Trulicity	12 units per 84 days OR
Victoza	9 units per 90 days

Medication <u>with approved formulary exception</u> <u>only</u>	Quantity Limit
Adlyxin	6 units per 84 days OR
Bydureon/Bydureon BCise	12 units per 84 days OR
Byetta	3 units per 90 days OR
liraglutide	9 units per 90 days

Duration 12 months

Prior – Approval *Renewal* Limits

Same as above

Rationale

Summary

Adlyxin, Byetta, Bydureon, Bydureon BCise, liraglutide, Ozempic, Rybelsus, Trulicity, and Victoza are glucagon-like peptide-1 receptor (GLP-1) agonists. Mounjaro is a glucose-dependent insulinotropic polypeptide (GIP) and GLP-1 receptor agonist. The medications are designed to mimic the action of incretin hormones by stimulating insulin release after glucose is ingested, making them an additional avenue for treatment of type 2 diabetes mellitus. They

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Endocrine and Metabolic Agents	Original Policy Date:	July 28, 2023
Subject:	Antidiabetic GLP-1, GIP-GLP-1 Agonists	Page:	5 of 7

should not be used to treat type 1 diabetes. GLP-1, GIP-GLP-1 agonists have a boxed warning for causing thyroid c-cell tumors in rats. While unclear if this is applicable to humans, use of GLP-1s in patients who have a personal or family history of thyroid tumors is contraindicated (1-11).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of Antidiabetic GLP-1, GIP-GLP-1 agonists while maintaining optimal therapeutic outcomes.

References

- Collins, L, Costello, RA. Glucagon-like Peptide-1 Receptor Agonists. StatPearls [Internet]. Treasure Island, FL; StatPearls Publishing. Updated November 26, 2022. Accessed on February 24, 2023. <https://www.ncbi.nlm.nih.gov/books/NBK551568>
- Adlyxin [package insert]. Bridgewater, NJ: Sanofi-Aventis US LLC; June 2022.
- Byetta [package insert]. Wilmington, DE: AstraZeneca Pharmaceuticals LP; December 2022.
- Bydureon [package insert]. Wilmington, DE: AstraZeneca Pharmaceuticals LP; December 2022.
- Bydureon BCise [package insert]. Wilmington, DE: AstraZeneca Pharmaceuticals LP; December 2022.
- Mounjaro [package insert]. Indianapolis, IN: Eli Lilly and Company. July 2023.
- Ozempic [package insert]. Bagsvaerd, Denmark: Novo Nordisk A/S; January 2023.
- Rybelsus [package insert]. Bagsvaerd, Denmark: Novo Nordisk A/S; January 2023.
- Trulicity [package insert]. Indianapolis, IN: Eli Lilly and Company; November 2022.
- Victoza [package insert]. Bagsvaerd, Denmark: Novo Nordisk A/S; June 2022.
- Liraglutide [package insert]. Parsippany, NJ: Teva Pharmaceuticals; January 2024.

Policy History

Date	Action
July 2023	Addition to PA
September 2023	Annual review
October 2023	Combined with 5.30.083 Mounjaro policy. Renamed policy Antidiabetic GLP-1 GIP Agonists
December 2023	Annual review
February 2024	Updated step-out statement to clarify that the 30-day fill must have elapsed/been utilized
March 2024	Annual review
April 2024	Per FEP, added quantity limits
June 2024	Annual review

5.30.086

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Endocrine and Metabolic Agents	Original Policy Date:	July 28, 2023
Subject:	Antidiabetic GLP-1, GIP-GLP-1 Agonists	Page:	6 of 7

July 2024	Per FEP, added no dual therapy with other GLP-1 agonists to criteria
August 2024	Addition of generic liraglutide with formulary exception
September 2024	Annual review

[Keywords](#)

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on September 6, 2024 and is effective on October 1, 2024.

Section:	Prescription Drugs	Effective Date:	October 1, 2024
Subsection:	Endocrine and Metabolic Agents	Original Policy Date:	July 28, 2023
Subject:	Antidiabetic GLP-1, GIP-GLP-1 Agonists	Page:	7 of 7

Appendix 1 - List of GLP-1 Agonist Medications

Generic Name	Brand Name
dulaglutide	Trulicity
exenatide	Byetta
exenatide	Bydureon, Bydureon BCise
liraglutide	Saxenda
liraglutide	Victoza
liraglutide and insulin degludec	Xultophy
lixisenatide	Adlyxin
lixisenatide and insulin glargine	Soliqua
semaglutide	Ozempic
semaglutide	Rybelsus
semaglutide	Wegovy
tirzepatide	Mounjaro
tirzepatide	Zepbound