

Federal Employee Program.

Blue Cross Blue Shield Association 750 9th St NW, Suite 900 Washington, D.C. 20001 1-800-624-5060 Fax 1-877-378-4727

### 5.21.054

Section: Subsection:	Prescription Drugs Antineoplastic Agents	Effective Date: Original Policy Date:	April 1, 2025 February 20, 2015
Subject:	Ibrance	Page:	1 of 5
Last Review Da	nte: March 7, 2025		

### Ibrance

Description

Ibrance (palbociclib)

#### Background

Ibrance (Palbociclib) is an inhibitor of cyclin-dependent kinases (CDK) 4 and 6. Cyclin D1 and CDK4/6 are downstream of signaling pathways which lead to cellular proliferation. Ibrance is used along with an aromatase inhibitor or fulvestrant for the treatment of hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced or metastatic breast cancer (1).

#### **Regulatory Status**

FDA-approved indication: Ibrance is a kinase inhibitor indicated for the treatment of hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced or metastatic breast cancer in combination with: (1)

- An aromatase inhibitor as initial endocrine-based therapy; or
- Fulvestrant in patients with disease progression following endocrine therapy

#### Off-Label Use: (2)

The National Comprehensive Cancer Network (NCCN) recommend the use of Ibrance in males with estrogen receptor (ER)-positive, human epidermal growth factor receptor 2 (HER2)negative advanced breast cancer and for well-differentiated/dedifferentiated liposarcoma (WD-DDLS) per the NCCN guidelines. Also Ibrance can be used with fulvestrant (Faslodex) for the treatment of postmenopausal women with estrogen receptor (ER)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced breast cancer as seen in the PALOMA3 study which showed that palbociclib with fulvestrant resulted in longer progression-free survival

Section:	Prescription Drugs	Effective Date:	April 1, 2025
Subsection:	Antineoplastic Agents	Original Policy Date:	February 20, 2015
Subject:	Ibrance	Page:	2 of 5

and a relatively higher quality of life than fulvestrant alone in patients with advanced hormonereceptor–positive breast cancer that had progressed during prior endocrine therapy.

The safety and effectiveness of Ibrance have not been established in pediatric patients (1).

#### **Related policies**

Kisqali, Verzenio

#### Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Ibrance may be considered medically necessary if the conditions indicated below are met.

Ibrance may be considered **investigational** for all other indications.

### **Prior-Approval Requirements**

Age 18 years of age or older

#### Diagnoses

Patient must have **ONE** of the following:

- 1. Advanced breast cancer
- 2. Metastatic breast cancer

#### **AND ALL** of the following:

- a. Males must have concomitant suppression of testicular steroidogensis
- b. Hormone receptor (HR)-positive
- c. Human epidermal growth factor receptor 2 (HER2)-negative
- d. Used in combination with an aromatase inhibitor or fulvestrant
- Age 18 years of age or older

#### Diagnosis

Patient must have the following:

1. Well-Differentiated/Dedifferentiated Liposarcoma (WD-DDLS)

Section:	Prescription Drugs	Effective Date:	April 1, 2025
Subsection:	Antineoplastic Agents	<b>Original Policy Date:</b>	February 20, 2015
Subject:	Ibrance	Page:	3 of 5

### Prior – Approval Renewal Requirements

Age 18 years of age or older

#### Diagnoses

Patient must have **ONE** of the following:

- 1. Advanced breast cancer
- 2. Metastatic breast cancer

#### AND ALL of the following:

- a. Used in combination with an aromatase inhibitor or fulvestrant
- b. Males must have concomitant suppression of testicular steroidogensis
- c. NO disease progression or unacceptable toxicity

18 years of age or older

#### Diagnosis

Age

Patient must have the following:

1. Well-Differentiated/Dedifferentiated Liposarcoma (WD-DDLS)

AND the following:

a. NO disease progression or unacceptable toxicity

#### **Policy Guidelines**

#### Pre – PA Allowance

None

### **Prior - Approval Limits**

**Duration** 12 months

#### Prior – Approval *Renewal* Limits Same as above

Section:	Prescription Drugs	Effective Date:	April 1, 2025
Subsection:	Antineoplastic Agents	Original Policy Date:	February 20, 2015
Subject:	Ibrance	Page:	4 of 5

#### Rationale

#### Summary

Ibrance is a prescription medicine that is used along with aromatase inhibitor or fulvestrant (Faslodex) for the treatment of hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced or metastatic breast cancer. Ibrance is also used off-label for the treatment of well-differentiated/dedifferentiated liposarcoma (WD-DDLS). The safety and effectiveness of Ibrance have not been established in pediatric patients (1).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of Ibrance while maintaining optimal therapeutic outcomes.

#### References

- 1. Ibrance [package insert]. New York, NY; Pfizer Labs; December 2024.
- 2. NCCN Drugs & Biologics Compendium<sup>®</sup> Palbociclib 2025. National Comprehensive Cancer Network, Inc. Accessed on January 8, 2025.

Policy History	
Date	Action
February 2015	New addition to PA
March 2015	Annual editorial review and reference update
June 2015	Annual review
February 2016	Addition of males with breast cancer and the change from used in combination letrozole to aromatase inhibitor or fulvestrant (Faslodex) Addition of new indication Well-Differentiated/ Dedifferentiated Liposarcoma (WD-DDLS) and metastatic breast cancer. Addition of no disease progression or unacceptable toxicity in renewal section Policy change from 5.04.54 to 5.21.54
June 2016	Annual review
June 2017	Annual editorial review and reference update Addition of age limit in the renewal section
December 2017 March 2018 June 2019 December 2019 March 2020 June 2020	Annual review Annual review Annual editorial review and reference update Annual review and reference update Annual review and reference update Annual review and reference update

Section:	Prescription Drugs	Effective Date:	April 1, 2025
Subsection:	Antineoplastic Agents	Original Policy Date:	February 20, 2015
Subject:	Ibrance	Page:	5 of 5

September 2020 June 2021 June 2022 September 2022 June 2023 March 2024 June 2024 March 2025	Annual review Annual review and reference update Annual review and reference update Annual review and reference update Annual editorial review and reference update. Rearranged requirements for clarity Annual review and reference update Annual review and reference update Annual review and reference update
Keywords	

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on March 7, 2025 and is effective on April 1, 2025.