

---

# 5.30.008

---

<b>Section:</b>	Prescription Drugs	<b>Effective Date:</b>	April 1, 2025
<b>Subsection:</b>	Endocrine and Metabolic Drugs	<b>Original Policy Date:</b>	September 9, 2008
<b>Subject:</b>	Elaprase	<b>Page:</b>	1 of 4

---

**Last Review Date:** March 7, 2025

---

## Elaprase

### Description

#### Elaprase (idursulfase)

---

#### Background

Hunter Syndrome (mucopolysaccharidosis type II or MPS II) is an X-linked recessive disease caused by the body's inability to break down certain elements in the body called mucopolysaccharides, also known as glycosaminoglycans (GAG) due to insufficient levels of the lysosomal enzyme iduronate-2-sulfatase (I2S). The missing or defective enzyme causes mucopolysaccharides to accumulate in a variety of cells, leading to cellular growth, organ enlargement, tissue destruction, and organ system dysfunction. Elaprase (idursulfase) replaces the deficient or absent enzyme to breakdown the excess buildup within the cells, returning the cells to normal size (1).

#### Regulatory Status

FDA-approved indication: Elaprase is a hydrolytic lysosomal glycosaminoglycan (GAG)-specific enzyme indicated for patients with Hunter syndrome (Mucopolysaccharidosis II, MPS II) is indicated for patients with Hunter syndrome (Mucopolysaccharidosis II, MPS II). Elaprase has been shown to improve walking capacity in patients 5 years or older. In patients 16 months to 5 years of age, no data are available to demonstrate improvement in disease-related symptoms or long term clinical outcome; however, treatment with Elaprase has reduced spleen volume similarly to that of adults and children 5 years of age and older (1).

Elaprase carries a boxed warning regarding the risk of life-threatening anaphylaxis reactions during infusions. Patients with compromised respiratory function or acute respiratory disease may be at risk of serious acute exacerbation of their respiratory compromise due to infusion

<b>Section:</b>	Prescription Drugs	<b>Effective Date:</b>	April 1, 2025
<b>Subsection:</b>	Endocrine and Metabolic Drugs	<b>Original Policy Date:</b>	September 9, 2008
<b>Subject:</b>	Elaprase	<b>Page:</b>	2 of 4

---

reactions, and require additional monitoring. Appropriate medical support should be readily available when Elaprase is administered (1).

Safety and efficacy have not been established in pediatric patients less than 16 months of age of age (1).

---

### Related policies

Aldurazyme, Mepsevii, Naglazyme, Vimizim

### Policy

*This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.*

Elaprase may be considered **medically necessary** if the conditions indicated below are met.

Elaprase may be considered **investigational** for all other indications.

### Prior-Approval Requirements

**Age** 5 years of age or older

#### Diagnosis

Patient must have the following:

Hunter Syndrome (mucopolysaccharidosis type II)

---

### Prior – Approval *Renewal* Requirements

Same as above

### Policy Guidelines

#### Pre - PA Allowance

None

#### Prior - Approval Limits

**Duration** 2 years

<b>Section:</b>	Prescription Drugs	<b>Effective Date:</b>	April 1, 2025
<b>Subsection:</b>	Endocrine and Metabolic Drugs	<b>Original Policy Date:</b>	September 9, 2008
<b>Subject:</b>	Elaprase	<b>Page:</b>	3 of 4

## Prior – Approval *Renewal* Limits

Same as above

## Rationale

### Summary

Elaprase (idursulfase) is indicated for patients with Hunter syndrome (Mucopolysaccharidosis II, MPS II). Elaprase carries a boxed warning regarding the risk of life-threatening anaphylaxis reactions during infusions. Patients with compromised respiratory function or acute respiratory disease may be at risk of serious acute exacerbation of their respiratory compromise due to infusion reactions, and require additional monitoring. Appropriate medical support should be readily available when Elaprase is administered. Safety and efficacy have not been established in pediatric patients less than 16 months of age (1).

Prior approval is required to ensure the safe, clinically appropriate, and cost-effective use of Elaprase while maintaining optimal therapeutic outcomes.

### References

1. Elaprase [package insert]. Lexington, MA.: Shire Human Genetic Therapies, Inc.; September 2021.

## Policy History

Date	Action
September 2011	New policy aligned with MPRM.
September 2012	Annual editorial review and reference update.
June 2013	Annual editorial review and reference update.
September 2014	Annual editorial review and reference update.
September 2015	Annual review.
September 2016	Annual editorial review and reference update Policy number change from 5.30.08
December 2017	Annual review and reference update
June 2018	Annual editorial review
December 2019	Annual editorial review and reference update. Changed approval duration from lifetime to 2 years
December 2020	Annual review
March 2021	Annual editorial review
March 2022	Annual review

# 5.30.008

---

<b>Section:</b>	Prescription Drugs	<b>Effective Date:</b>	April 1, 2025
<b>Subsection:</b>	Endocrine and Metabolic Drugs	<b>Original Policy Date:</b>	September 9, 2008
<b>Subject:</b>	Elaprase	<b>Page:</b>	4 of 4

---

March 2023	Annual review and reference update. Changed policy number to 5.30.008
March 2024	Annual review
March 2025	Annual review

## Keywords

---

**This policy was approved by the FEP® Pharmacy and Medical Policy Committee on March 7, 2025 and is effective on April 1, 2025.**