

Federal Employee Program.
Blue Cross Blue Shield Association 750 9th St NW, Suite 900
Washington, D.C. 20001
1-800-624-5060
Fax 1-877-378-4727

5.90.053

Section: Prescription Drugs Effective Date: April 1, 2025

Subsection: Topical Products Original Policy Date: April 29, 2022

Subject: Adbry Page: 1 of 6

Last Review Date: March 7, 2025

Adbry

Description

Adbry (tralokinumab-ldrm)

Background

Adbry (tralokinumab-ldrm) is a human monoclonal IgG4 antibody that specifically binds to interleukin-13 (IL-13) and blocks its interaction with the IL-13 receptor α 1 and α 2 subunits (IL-13R α 1 and IL-13R α 2). This blocks the IL-13 cytokine-induced inflammatory responses, including the release of proinflammatory cytokines, chemokines, and IgE (1).

Regulatory Status

FDA-approved indication: Adbry is an interleukin-13 antagonist indicated for the treatment of moderate-to-severe atopic dermatitis in patients aged 12 years and older whose disease is not adequately controlled with topical prescription therapies or when those therapies are not advisable. Adbry can be used with or without topical corticosteroids (1).

Adbry has warnings for hypersensitivity reactions, conjunctivitis, keratitis, and parasitic (helminth) infections. Patients should be monitored and Adbry treatment should be discontinued if appropriate (1).

Prior to initiation of Adbry, patients should complete all age-appropriate vaccinations as recommended by current immunization guidelines. Live vaccines should be avoided while using Adbry (1).

The safety and effectiveness of Adbry in pediatric patients less than 12 years of age have not been established (1).

Subject: Adbry Page: 2 of 6

Related policies

Cibingo, Dupixent, Rinvoq

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Adbry may be considered **medically necessary** if the conditions indicated below are met.

Adbry may be considered **investigational** for all other indications.

Prior-Approval Requirements

Age 12 years of age or older

Diagnosis

Patient must have the following:

Moderate-to-severe atopic dermatitis (eczema)

AND ALL of the following:

- 1. Inadequate treatment response, intolerance, or contraindication to **ONE** medication in **EACH** of the following categories:
 - a. 18 years of age or older:
 - i. Topical calcineurin inhibitor (see Appendix 1)
 - ii. **High** potency topical corticosteroid (see Appendix 2)
 - b. 12 to 17 years of age:
 - i. Topical calcineurin inhibitor (see Appendix 1)
 - ii. Topical corticosteroid (see Appendix 2)
- 2. **NOT** used in combination with another non-topical Prior Authorization (PA) medication for atopic dermatitis (see Appendix 3)
- 3. **NOT** given concurrently with live vaccines

Prior - Approval Renewal Requirements

Age 12 years of age or older

Diagnosis

Subject: Adbry Page: 3 of 6

Patient must have the following:

Atopic dermatitis (eczema)

AND ALL of the following:

- 1. Condition has improved or stabilized
- 2. **NOT** used in combination with another non-topical Prior Authorization (PA) medication for atopic dermatitis (see Appendix 3)
- 3. **NOT** given concurrently with live vaccines

Policy Guidelines

Pre - PA Allowance

None

Prior - Approval Limits

Quantity

Age (years)	Drug/Strength/Dosage Form	Quantity
12-17	Adbry 150 mg prefilled syringe	9 syringes OR
18+	Adbry 150 mg prefilled syringe	18 syringes OR
18+	Adbry 300 mg autoinjector	9 autoinjectors

Duration 16 weeks

Prior - Approval Renewal Limits

Quantity

Age (years)	Drug/Strength/Dosage Form	Quantity
12-17	Adbry 150 mg prefilled syringe	6 syringes per 84 days OR
18+	Adbry 150 mg prefilled syringe	12 syringes per 84 days OR
18+	Adbry 300 mg autoinjector	6 autoinjectors per 84 days

Duration 12 months

Subject: Adbry Page: 4 of 6

Rationale

Summary

Adbry (tralokinumab-ldrm) is an interleukin-13 receptor antagonist indicated for the treatment of atopic dermatitis (eczema). Adbry has warnings for hypersensitivity reactions, conjunctivitis, keratitis, and parasitic (helminth) infections. Patients should be monitored and Adbry treatment should be discontinued if appropriate. The safety and effectiveness of Adbry in patients less than 12 years of age have not been established (1).

Prior authorization is required to ensure the safe, clinically appropriate, and cost-effective use of Adbry while maintaining optimal therapeutic outcomes.

References

1. Adbry [package insert]. Madison, NJ: LEO Pharma Inc.; June 2024.

Policy History	
Date	Action
April 2022	Addition to PA
June 2022	Annual review
March 2023	Annual review and reference update. Changed policy number to 5.90.053
January 2024	Per PI update, updated age to 12 and older from 18 and older
March 2024	Annual review
July 2024	Per PI update, added autoinjector dosage form. Revised quantity limits for
	ages 12-18
September 2024	Annual review
March 2025	Annual review

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on March 7, 2025 and is effective on April 1, 2025.

5.90.053

Section:Prescription DrugsEffective Date:April 1, 2025Subsection:Topical ProductsOriginal Policy Date:April 29, 2022

Subject: Adbry **Page**: 5 of 6

Appendix 1

Relative Potency of Topical Calcineurin Inhibitors		
Drug	Dosage Form	Strength
Medium Potency		
Tacrolimus	Ointment	0.1%
Low Potency		
Tacrolimus	Ointment	0.03%
Pimecrolimus	Cream	1%

Appendix 2

· · · · · · · · · · · · · · · · · · ·			
Relative Potency of Selected Topical Corticosteroids			
Drug	Dosage Form	Strength	
Very high Potency			
Augmented betamethasone dipropionate	Ointment, Gel	0.05%	
Clobetasol propionate	Cream, Ointment	0.05%	
Diflorasone diacetate	Ointment	0.05%	
Halobetasol propionate	Cream, Ointment	0.05%	
High Potency		-	
Amcinonide	Cream, Lotion, Ointment	0.1%	
Augmented betamethasone dipropionate	Cream, Lotion	0.05%	
Betamethasone dipropionate	Cream, Ointment	0.05%	
Betamethasone valerate	Ointment	0.1%	
Desoximetasone	Cream, Ointment	0.25%	
	Gel	0.05%	
Diflorasone diacetate	Cream, Ointment	0.05%	
	(emollient base)		
Fluocinonide	Cream, Ointment, Gel	0.05%	
Halcinonide	Cream, Ointment	0.1%	
Triamcinolone acetonide	Cream, Ointment	0.5%	
Medium Potency	•		
Betamethasone dipropionate	Lotion	0.05%	
Betamethasone valerate	Cream	0.1%	
Clocortolone pivalate	Cream	0.1%	
Desoximetasone	Cream	0.05%	
Fluocinolone acetonide	Cream, Ointment	0.025%	

Subject: Adbry Page: 6 of 6

Flurandrenolide	Cream, Ointment, Lotion	0.05%
	Tape	4 mcg/cm ²
Fluticasone propionate	Cream	0.05%
	Ointment	0.005%
Hydrocortisone butyrate	Ointment, Solution	0.1%
Hydrocortisone valerate	Cream, Ointment	0.2%
Mometasone furoate	Cream, Ointment, Lotion	0.1%
Prednicarbate ²	Cream, Ointment	0.1%
Triamcinolone acetonide	Cream, Ointment, Lotion	0.025%
	Cream, Ointment, Lotion	0.1%
Low Potency		
Alclometasone dipropionate	Cream, Ointment	0.05%
Desonide	Cream	0.05%
Fluocinolone acetonide	Cream, Solution	0.01%
Hydrocortisone	Lotion	0.25%
	Cream, Ointment, Lotion,	0.5%
	Aerosol Cream, Ointment, Lotion,	1%
	Solution	. 70
	Cream, Ointment, Lotion	2.5%
Hydrocortisone acetate	Cream, Ointment	0.5%
	Cream, Ointment	1%
	· · · · · · · · · · · · · · · · · · ·	

Appendix 3 - List of Non-Topical PA Medications for Atopic Dermatitis

Generic Name	Brand Name
abrocitinib	Cibinqo
dupilumab	Dupixent
tralokinumab-ldrm	Adbry
upadactinib	Rinvoq